
casftimber



NATURAL HARDWOOD
TIMBERS SOURCED FROM
RESPONSIBLY MANAGED
FORESTS CAN CREATE
A WARM AND INVITING
SPACE FOR EVERYONE
TO ENJOY.

Front Cover: Design by Geyer Right: Design by Woods Bagot Species: European Walnut



ABOUT

Being solid timber, knots and variations to grain and colour can occur, adding to the character and uniqueness of each piece.

Timber is timeless in its appeal and easy to maintain, CASF Timber can be used in a variety of areas from benchtops through to stair treads, the range of species can adapt to any mood. All CASF Timber products are sourced from responsibly managed forests which comply with the very highest standards of environmental protection.

Each panel is made using nominal 42mm width staves which are finger joined and glued together. This technique provides a stable surface that will stand up to the rigours of the modern, high use environment.





RESIDENTIAL

Alexandria

CASF Timber gives added character and an elegant ambience this provincial kitchen. When used with other materials, a timber island is a standout feature.



Mount Barker

Straight runs are a breeze with a standard square edged timber benchtop. As the timber is a solid 32mm thickness, there is no need to worry about edging.

Left: Design by Inavogue Species: European Walnut

Right: Design by Harvey Norman Renovations Species: European Walnut

COMMERCIAL

Geyer

Creating interest in the staff breakout area, timber has been used to stunning effect for the kitchen bench, splashback and communal table.




Right: Design by Geyer Species: Sapele

Left: Design by Cheesman Architects Species: Sapele

FINISHING & CARE

HBF

The new HBF headquarters comprising of eight floors, sees timber paired with Corian® in each of the staff break out areas and kitchens.



Complementing the CASF Timber range, when ordering custom made benchtops, the tops will be supplied with an easy to maintain finish. For regular maintenance, we recommened Cabot's Benchtop Clear - Satin Finish.

Alternatively, a polyurethane coating can be applied providing a hard, satin or gloss finish.

CASF Timber will need to be sanded to a raw finish before following the manufacturers' instructions for polyurethane finish. CARE

Just as no two sets of fingerprints are alike, the same can be said of timber. Variations in colour, grain and knots can occur which adds to the character and uniqueness of your CASF Timber benchtop. It is recommended to remove spills immediately and to also use a suitable heat pad when placing hot pots/pans on the benchtop.

CASF Timber can be re-sanded and refinished at any time during its life to maintain the timbers natural beauty.

Species: European Walnut

Right: Design by Geyer Species: European Oak

SPECIES

Each of the species in the CASF Timber range have been chosen for their hard wearing nature and pleasing aesthetics.

MODULAR & CUSTOM BENCHTOPS



Module	Size	Price Group	Unit
2405mm (W) x 600mm (H) x 32mm (T)		А	Each
		В	
		С	
	D		
	3600mm (W) x 600mm (H) x 32mm (T)	А	Each
		В	
		С	
		D	
	2400mm (W) x 900mm (H) x 32mm (T)	А	Each
		В	
		С	
		D	
	3600mm (W) x 900mm (H) x 32mm (T)	А	Each
		В	
		С	
		D	

Custom benchtops description	Price Group	Unit
Custom, made to measure benchtops. 2mm pencil edge profile as per	А	Per m ²
requirements of plan. All joins as required are pre-machined ready for installation on-site.	В	
 Does not include cooktop and sink cutouts. 	С	
 Includes installation kit as required for design.* 		
Includes finishing with Cabot's Benchtop Clear - Satin Finish.	D	
		I

^{*} Installation kit will be tailored to suit benchtop design and may include toggle bolts and silicone sealant.

casftimber

() 1300 795 044

www.casffimber.com.au