

## Corian® Joint Adhesive Component B

 Version 4.0
 Revision Date 21.06.2022

 Document no. 150000004822
 Issue Date 23.01.2023

This SDS adheres to the standards and regulatory requirements of Australia and may not meet the regulatory requirements in other countries.

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name : Corian® Joint Adhesive Component B

Recommended use of the chemical and restriction on use

Recommended use : Adhesives and/or sealants

For professional users only.

Restrictions on use : Do not use product for anything outside of the above specified uses.

Manufacturer, importer, supplier, representative office

Company : Du Pont (Australia) Pty Ltd Street address : 15 Blackman Crescent

South Windsor NSW 2756

Australia

Telephone : (02) 9923 6111 Telefax : Not available

**Emergency telephone** : (02) 9037 2994 (Transport Emergency); (24 hr Emergency Medical Information:

**number** 1800 674 415)

#### 2. HAZARDS IDENTIFICATION

Product hazard classification

Skin sensitisation : Category 1 Short-term (acute) : Category 1

aquatic hazard

Long-term (chronic) : Category 1

aquatic hazard

Endpoints which are not classified, cannot be classified or are not applicable are not shown.

Label content

Pictogram :



Signal word : Warning

Hazardous warnings : May cause an allergic skin reaction.

Very toxic to aquatic life with long lasting effects.

Precautionary : Avoid breathing dust.

statements Contaminated work clothing should not be allowed out of the workplace.

Avoid release to the environment.

Wear protective gloves.



## Corian® Joint Adhesive Component B

Version 4.0 Document no. 150000004822 Revision Date 21.06.2022 Issue Date 23.01.2023

IF ON SKIN: Wash with plenty of water.

If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse.

Collect spillage.

Dispose of contents/ container to an approved waste disposal plant.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Mixture

Components

Chemical name CAS-No. Concentration

Oxydipropyl dibenzoate 27138-31-4 20 - 30% Dibenzoyl peroxide 94-36-0 <10%

### 4. FIRST AID MEASURES

Inhalation : If breathed in, move person into fresh air. Obtain medical attention. Remove victim

to fresh air and keep at rest in a position comfortable for breathing.

**Skin contact** : Wash off immediately with soap and plenty of water.

Eye contact : Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get

medical attention. In case of eye contact

**Ingestion** : If symptoms persist, call a physician.

Most important

symptoms/effects, acute

and delayed

For further information see Section 11.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective

equipment.

Notes to physician : No specific intervention is indicated. Treat symptomatically.

## 5. FIREFIGHTING MEASURES

Suitable extinguishing

media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing

media

No information available.

**Specific hazards** : Hazardous combustion products

Carbon monoxide, carbon dioxide

Special protective

equipment for firefighters

Wear self-contained breathing apparatus and protective suit.



## Corian® Joint Adhesive Component B

 Version 4.0
 Revision Date 21.06.2022

 Document no. 150000004822
 Issue Date 23.01.2023

Specific extinguishing

methods

No information available.

Further information : Evacuate personnel and keep upwind of fire. Do not allow run-off from fire fighting

to enter drains or water courses.

Hazchem Code : 2Z

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation. Remove all sources of ignition.

Environmental precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to

contaminate ground water system.

Methods and materials for containment and

cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal

binder, sawdust). Ensure adequate ventilation.

#### 7. HANDLING AND STORAGE

## Handling

Technical

measures/Precautions

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Avoid contact with skin and eyes. Use only in well-

ventilated areas.

Precautions for safe

handling

Keep product and empty container away from heat and sources of ignition. When

using do not smoke.

## **Storage**

Suitable storage

conditions

Keep tightly closed in a dry, cool and well-ventilated place.

Advice on common storage: No materials to be especially mentioned.

Storage period: Storage temperature: 5 - 23 °C

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Control parameters**

Applicable occupational exposure limits are listed below.

	Dibenzoyl peroxide		
	TWA	5 mg/m3	AU OEL (2013-04-18)
I			



## Corian® Joint Adhesive Component B

 Version 4.0
 Revision Date 21.06.2022

 Document no. 150000004822
 Issue Date 23.01.2023

TWA 5 mg/m3 ACGIH (2013-03-01)

### Biological occupational exposure limits

No biological exposure limit values are applicable.

**Engineering measures** : Use sufficient ventilation to keep employee exposure below recommended limits.

### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required. In case of

insufficient ventilation, wear suitable respiratory equipment.

Hand protection : polyvinylalcohol (PVA) gloves, Nitrile rubber gloves.

Eye protection : Safety glasses

Skin protection : No information available.

Hygiene measures : Wash hands before breaks and at the end of workday. Keep away from food, drink

and animal feedingstuffs. Wash contaminated clothing before re-use.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (Physical state, form, colour, etc.)

Physical state : solid Form : solid Colour : white

Odour : odourless

Odour Threshold : not determined

**pH** : no data available Substance/mixture is non-soluble (in water).

Melting point/freezing point

Melting point/range : not determined

Initial boiling point and boiling range

Boiling point/boiling : 232 °C

range

Flash point : 192 °C

**Evaporation rate** : No information available.

Flammability : No information available.

Upper/lower flammability or explosive limits

Upper explosion limit : not determined Lower explosion limit : not determined



## Corian® Joint Adhesive Component B

 Version 4.0
 Revision Date 21.06.2022

 Document no. 150000004822
 Issue Date 23.01.2023

Vapour pressure : not determined

**Vapour density** : No information available.

Density

Density : 1.16 g/cm3

Solubility(ies)

Water solubility : immiscible

**Particle characteristics** 

Assessment : No information available.

Partition coefficient: n-

octanol/water

No information available.

**Auto-ignition temperature** 

Auto-ignition : not auto-flammable

temperature

Ignition temperature : 80 °C

**Decomposition** : No information available.

temperature

Viscosity

Viscosity, kinematic : No information available.

**Molecular weight** : No information available.

Oxidizing properties : No information available.

## 10. STABILITY AND REACTIVITY

**Reactivity** : Stable under recommended storage conditions.

**Chemical stability** : No decomposition if stored and applied as directed.

Possibility of hazardous

reactions

No information available.

Conditions to avoid : Heat Exposure to sunlight.

Materials to avoid : Oxidizing agents, Strong acids and strong bases, alkalies, Reducing agents

Hazardous decomposition products

: Decomposes by reaction with alkaline solutions., Hazardous decomposition products, Carbon dioxide (CO2), Benzene, Benzoic acid, Biphenyls, Smoke

### 11. TOXICOLOGICAL INFORMATION

**Acute toxicity** 

Oral

Oxydipropyl dibenzoate : LD50/Rat: 3,914 mg/kg

5/10



## Corian® Joint Adhesive Component B

 Version 4.0
 Revision Date 21.06.2022

 Document no. 150000004822
 Issue Date 23.01.2023

Method: OECD Test Guideline 401

Central nervous system effects

Dibenzoyl peroxide : LD50/Rat: > 5,000 mg/kg

Method: OECD Test Guideline 401

The substance or mixture has no acute oral toxicity

Inhalation

Oxydipropyl dibenzoate : LC50/4 h/Rat(dust/mist): > 200 mg/l

The substance or mixture has no acute inhalation toxicity

Dibenzoyl peroxide : LC50/4 h/Rat(dust/mist): > 24.3 mg/l

Method: OECD Test Guideline 403

Central nervous system effects, Respiratory effects, eye effects

Dermal

Oxydipropyl dibenzoate : LD50/Rat: > 2,000 mg/kg

Method: OECD Test Guideline 402

The substance or mixture has no acute dermal toxicity

Dibenzoyl peroxide : no data available

Skin corrosion/irritation

Oxydipropyl dibenzoate : Species: Rabbit

Result: No skin irritation

Classification: No skin irritation Method: OECD Test Guideline 404

Dibenzoyl peroxide : Species: Rabbit

Result: No skin irritation

Classification: Not classified as irritant Method: OECD Test Guideline 404

Serious eye damage/eye irritation

Oxydipropyl dibenzoate : Species: Rabbit

Result: No eye irritation Classification: No eye irritation Method: OECD Test Guideline 405

Minimal effects that do not meet the threshold for classification.

Dibenzoyl peroxide : Species: Rabbit

Result: Eye irritation

Classification: Irritating to eyes. Method: OECD Test Guideline 405

Respiratory or skin sensitisation

Oxydipropyl dibenzoate : Species: Guinea pig

Result: Does not cause skin sensitisation. Classification: Does not cause skin sensitisation.

Method: OECD Test Guideline 406

Dibenzoyl peroxide : Species: Mouse

Result: The product is a skin sensitiser, sub-category 1A. Classification: The product is a skin sensitiser, sub-category 1A.

Method: OECD Test Guideline 429

Germ cell mutagenicity

Oxydipropyl dibenzoate : In vitro tests did not show mutagenic effects Tests on bacterial or

mammalian cell cultures did not show mutagenic effects.

Dibenzoyl peroxide : Animal testing did not show any mutagenic effects. Tests on bacterial or

mammalian cell cultures did not show mutagenic effects.



## Corian® Joint Adhesive Component B

 Version 4.0
 Revision Date 21.06.2022

 Document no. 150000004822
 Issue Date 23.01.2023

Carcinogenicity

Dibenzoyl peroxide : Not classifiable as a human carcinogen.

Overall weight of evidence indicates that the substance is not

carcinogenic.

Reproductive toxicity

Oxydipropyl dibenzoate : Reproductive toxicity: No toxicity to reproduction

Animal testing showed no reproductive toxicity.

No effects on or via lactation

Teratogenicity: Animal testing showed no developmental toxicity.

Dibenzoyl peroxide : Reproductive toxicity: No toxicity to reproduction

Evidence suggests the substance is not a reproductive toxin in animals. Teratogenicity: Evidence suggests the substance is not a developmental

toxin in animals.

**Specific Target Organ Toxicity** 

Specific target organ toxicity - single exposure

Oxydipropyl dibenzoate : The substance or mixture is not classified as specific target organ

toxicant, single exposure.

Specific target organ toxicity - repeated exposure

Oxydipropyl dibenzoate : The substance or mixture is not classified as specific target organ

toxicant, repeated exposure.

Dibenzoyl peroxide : The substance or mixture is not classified as specific target organ

toxicant, repeated exposure.

**Aspiration hazard** 

Oxydipropyl dibenzoate : No aspiration toxicity classification Dibenzoyl peroxide : No aspiration toxicity classification

Other

Oxydipropyl dibenzoate : Repeated dose toxicity:

Ingestion/Rat 90 d NOAEL: 1,000 mg/kg

Method: OECD Test Guideline 408

No toxicologically significant effects were found.

Dibenzoyl peroxide : Repeated dose toxicity:

Oral/Rat

NOAEL: 500 mg/kg

Method: see user defined free text

No toxicologically significant effects were found.

### 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity effects**

Acute and prolonged toxicity to fish



## Corian® Joint Adhesive Component B

 Version 4.0
 Revision Date 21.06.2022

 Document no. 150000004822
 Issue Date 23.01.2023

Oxydipropyl dibenzoate : LC50/96 h/Pimephales promelas (fathead minnow): 3.7 mg/l

Method: OECD Test Guideline 203

Dibenzoyl peroxide : LC50/96 h/Oncorhynchus mykiss (rainbow trout): 0.602 mg/l

Method: OECD Test Guideline 203

Toxicity to aquatic plants

Oxydipropyl dibenzoate : EC50/96 h/Pseudokirchneriella subcapitata (green algae): 3.6 mg/l

Method: OECD Test Guideline 201

Dibenzoyl peroxide : ErC50/72 h/Pseudokirchneriella subcapitata (green algae): 0.0711 mg/l

Method: OECD Test Guideline 201

NOEC/72 h/Pseudokirchneriella subcapitata (green algae): 0.02 mg/l

Method: OECD Test Guideline 201

Acute toxicity to aquatic invertebrates

Oxydipropyl dibenzoate : EC50/48 h/Daphnia magna (Water flea)

Method: OECD Test Guideline 202

Aquatic toxicity is unlikely due to low solubility. EC50/48 h/Daphnia magna (Water flea): 0.11 mg/l

Dibenzoyl peroxide : EC50/48 h/Daphnia magna (Water f Method: OECD Test Guideline 202

Chronic toxicity to aquatic Invertebrates

Dibenzoyl peroxide : NOEC/21 d/Daphnia magna (Water flea): 0.001 mg/l

Method: OECD Test Guideline 211

Persistence and degradability

Oxydipropyl dibenzoate : Result: Biodegradable
Dibenzoyl peroxide : Result: Not biodegradable

Bioaccumulation

Oxydipropyl dibenzoate : Bioaccumulation is unlikely.

Mobility in soil

No information available.

Other adverse effects

No information available.

### 13. DISPOSAL CONSIDERATIONS

Waste disposal methods : Do not dispose of together with household waste. Do not flush into surface water

or sanitary sewer system. In accordance with local and national regulations.

**Contaminated packaging** : If recycling is not practicable, dispose of in compliance with local regulations.

### 14. TRANSPORT INFORMATION

**ADG** 

UN number : 3077

UN proper shipping : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

name

(Dibenzoyl peroxide)

Transport hazard class : 9



## Corian® Joint Adhesive Component B

 Version 4.0
 Revision Date 21.06.2022

 Document no. 150000004822
 Issue Date 23.01.2023

Packing group : III Hazchem Code : 2Z

**IMDG** 

UN number : 3077

UN proper shipping :

name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Transport hazard class : 9
Packing group : III

Marine pollutant : yes (Dibenzoyl peroxide)

IATA

UN number : 3077

UN proper shipping

name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(Dibenzoyl peroxide)

(Dibenzoyl peroxide)

Transport hazard class : 9
Packing group : III

Special precaution which a user to be aware of or needs to comply with in connection with transport or conveyance either within or outside their premises

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA special provision A197, and ADR/RID special

provision 375.

### 15. REGULATORY INFORMATION

Standard for the Uniform Scheduling of Medicines and Poisons: Schedule 5

## **16. OTHER INFORMATION**

References

SDS Number: 150000004822

**Revision Date/Version** 

Date of first preparation : 08.01.2018 Revision Date : 21.06.2022

Version : 4.0

Before use read DuPont's safety information.

The DuPont Oval Logo, DuPont<sup>™</sup> and all products denoted with ® or <sup>™</sup> are trademarks or registered trademarks of affiliates of DuPont de Nemours, Inc.

Do not use DuPont materials in medical applications involving implantation in the human body or contact with internal body fluids or tissues unless the material has been provided from DuPont under a written contract that is consistent with DuPont policy regarding medical applications and expressly acknowledges the contemplated use. For further information, please contact your DuPont representative. You may also request a copy of the DuPont POLICY Regarding Medical Applications and DuPont CAUTION Regarding Medical Applications.

Significant change from previous version is denoted with a double bar.



# Corian® Joint Adhesive Component B

 Version 4.0
 Revision Date 21.06.2022

 Document no. 150000004822
 Issue Date 23.01.2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The above information relates only to the specific material(s) designated herein and may not be valid for such material(s) used in combination with any other materials or in any process or if the material is altered or processed, unless specified in the text.